

SAPC-20639

SECRET

Copy 2 of 5

30 October 1957

MEMORANDUM FOR: Chief, Supplemental Programs Division, OC

SUBJECT : Additional funding required on preliminary fly-away kits for 14 channel duping and analysis equipment racks.

1. Attached is a copy of Contractor's CMC Dec. No. 151X5.798 on the above subject.

2. The additional 1958 funding required is computed as follows:

3 "G" racks @ \$168.52	\$505.56
2 "H" racks @ \$ 37.40	74.80
3 "J" racks @ \$ 41.52	124.56
2 "K" racks @ \$222.22	<u>444.44</u>
TOTAL	\$1,149.36

3. Your attention is called to the fact that these lists are minimum requirements and additional changes and increases in quantities are contemplated. However, unless minimum spares (particularly long lead items) are ordered at an early date spares will not be available when needed.

25X1A

Project Contracting Officer

PS/DCI [redacted] bas (10/30/57)

Distribution:

Orig. - [redacted]

2. - [redacted]

3. - [redacted]

4. - Project Comptroller

5. - Proj. Chrono

25X1A

DOCUMENT NO.

NO CHANGE IN CLASS. ☒

☐ DECLASSIFIED

CLASS. CHANGED TO: TS S G

AUTH: HR 10-2

DATE: 11/1/82

REVIEWER: 064540

SECRET

Requirement cancelled

2012